## SSP SPECIFIC HAZARD ATTACHMENT: MATERIAL CONTAINING HYDROGEN SULFIDE

Medical Condition	Signs, Symptoms and Potential Health Effects	Exposure Route	Controls	Medical Response
Chemical Burns	Severe burning of skin, eyes, and other external organs	Contact	<ul> <li>Avoid areas above 10% LEL</li> <li>Keep upwind</li> <li>Air monitoring</li> <li>Wear flash protective clothing</li> <li>SCBA &gt; PEL</li> </ul>	Treat for burns, as appropriate
Central Nervous System Depression	Headache, dizziness, fatigue, staggered gait, giddiness	Inhalation	<ul> <li>Avoid confined or tight spaces</li> <li>Keep upwind</li> <li>Air monitoring</li> <li>Wear chemical resistant clothing</li> <li>SCBA &gt; PEL</li> </ul>	Remove from site
Diarrhea	Runny or loose stool	Inhalation or Ingestion	<ul> <li>Avoid contact</li> <li>Keep upwind</li> <li>Wash frequently</li> <li>Avoid confined or tight spaces</li> <li>Air monitoring</li> <li>SCBA &gt; PEL</li> </ul>	If ingested, induce vomiting, drink large volumes of water
Respiratory Paralysis	Difficulty breathing, fatigue, strong signs of weakness	Inhalation	<ul> <li>Avoid contact</li> <li>Keep upwind</li> <li>Wash frequently</li> <li>Avoid confined or tight spaces</li> <li>Air monitoring</li> <li>SCBA &gt; PEL</li> </ul>	Provide support respiration, as needed
Chemical Asphyxiation Note: Poor warning properties	Headache, dizziness, fatigue, staggered gait, giddiness	Inhalation	<ul> <li>Avoid contact</li> <li>Avoid confined or tight spaces</li> <li>Keep upwind</li> <li>Air monitoring</li> <li>SCBA &gt; PEL</li> </ul>	Remove from site
Distributed by:			Date/time briefed:	•